

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	357	(712/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 15:01
S1	19	prefix\$3 near4 instruct\$4 with (register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 14:56
S2	109	(prefix\$3 near4 instruct\$4) same (register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 14:57
S3	19	(prefix\$3 near4 instruct\$4) with (register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 14:56
S4	2	(prefix\$3 near4 instruct\$4) same (expand\$3 near4 register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 14:58
S5	2	(prefix\$3 near4 instruct\$4) same ((expand\$3 or increas\$3 or add\$3) near4 register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:00
S6	5	(prefix\$3) same ((expand\$3 or increas\$3 or add\$3) near4 register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:02
S7	0	Apple and (Kim-Ken)".xa"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:02
S8	0	Apple and (Kim-Ken).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:03
S9	0	Apple and "Kim-Ken".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:03
S10	86	Apple and Kim.xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:03
S11	86	Apple and "Kim".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:07

S24	326	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:16
S25	291	(712/209).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:16
S26	5	((("5732224") or ("6014735") or ("5903919") or ("5680578") or ("6496923"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:17
S27	1	("6629271").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 07:52
S28	341	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 09:50
S29	311	(712/209).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 09:52
S30	0	prefix\$3 near4 (address\$3 near4 (field\$1 or area\$1 or segment\$1)) near4 ((least adj1 significant) or LSB\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 11:02
S31	1	prefix\$3 with ((address\$3 near4 (field\$1 or area\$1 or segment\$1)) near4 ((least adj1 significant) or LSB\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 11:03
S32	1	prefix\$3 same ((address\$3 near4 (field\$1 or area\$1 or segment\$1)) near4 ((least adj1 significant) or LSB\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 11:03
S33	2	prefix\$3 same ((address\$3 near4 (field\$1 or area\$1 or segment\$1)) with ((least adj1 significant) or LSB\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 11:03
S34	13	prefix\$3 same ((address\$3 near4 (field\$1 or area\$1 or segment\$1)) same ((least adj1 significant) or LSB\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 11:03
S35	6	(prefix\$3) same ((expand\$3 or increas\$3 or add\$3) near4 register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 11:11

S36	22	(prefix\$3 near4 instruct\$4) with (register\$1 near4 (file\$1 or set\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 15:01
-----	----	--	---	----	-----	------------------

S12	0	Apple and "Kim_Ken".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:04
S13	0	Apple and "Ken-Kim".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:05
S14	0	Apple and "Kim-K".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:05
S15	0	Apple and "Kim-Kenneth".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:07
S16	0	Apple and "Kim-Kenneth-S".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:07
S17	0	"Kim-Kenneth-S".xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:08
S18	8975	Kim.xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:11
S19	0	(Kim-Kenneth-S).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:09
S20	3	(Li-Aimee).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:10
S21	10	(Li-Aimee-J).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:10
S22	0	(Kim-Kenneth-S).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:10
S23	84	(Kim-Ken-S).xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:15



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
<input type="text" value="AND"/>		<input type="text"/>	in All Fields
<input type="text" value="AND"/>		<input type="text"/>	in All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>			

OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(prefix) <near/4> register <near/4> ((least <near/1> significant) <or> (LSB))</pre>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

☐ Search latest content update (08 Aug 2005)

- ☐ From year to

» Display Format


- ☒ Citation
- ☐ Citation & Abstract

» Organize results

- Maximum
- Display results per page
- Sort by
- In order

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved





Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		

OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(prefix) <sentence> register <sentence> ((least <near/1> significant) <or> (LSB))</pre>	<input type="button" value="v"/>
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range☐ Search latest content update (08 Aug 2005)

☐ From year to

» Display Format


☐ Citation ☐ Citation & Abstract

» Organize results

Maximum
Display results per page
Sort by
In order

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved





Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT



OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>	



OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(prefix) <paragraph> register <paragraph> ((least <near/1> significant) <or> (LSB))</pre>	
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (08 Aug 2005)
- ☐ From year to

» Display Format

- ☐ Citation
- ☐ Citation & Abstract

» Organize results

Maximum

Display results per page

Sort by

In order



Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>	

OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(register <near/4> address) <paragraph> ((least <near/1> significant) <or> (LSB))</pre>	
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (08 Aug 2005)

☐ From year to

» Display Format

- ☐ Citation
- ☐ Citation & Abstract

» Organize results

Maximum
Display results per page
Sort by
In order

indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved



Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT



OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields



OPTION 2

Enter keywords, phrases, or a Boolean expression

```
(register <sentence> address) <paragraph>
((least <near/1> significant) <or> (LSB))
```

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (08 Aug 2005)

- ☐ From year to

» Display Format


- ☐ Citation
- ☐ Citation & Abstract

» Organize results

- Maximum
- Display results per page
- Sort by
- In order

[Help](#) | [Contact Us](#) | [Privacy & Security](#) | [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved





Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		

OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(register <paragraph> address) <paragraph> ((least <near/1> significant) <or> (LSB))</pre>	<input type="button" value="v"/>
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (08 Aug 2005)

- ☐ From year to

» Display Format

- ☐ Citation
- ☐ Citation & Abstract

» Organize results

- Maximum
- Display results per page
- Sort by
- In order

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved

indexed by
 Inspec



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
<input type="text" value="AND"/>		<input type="text"/>	in All Fields
<input type="text" value="AND"/>		<input type="text"/>	in All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>			

OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(register <paragraph> address) <and> ((least <near/1> significant) <or> (LSB))</pre>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (08 Aug 2005)
- ☐ From year to

» Display Format

- ☐ Citation
- ☐ Citation & Abstract

» Organize results

Maximum
Display results per page
Sort by
In order

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved





Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	In All Fields	
<input type="text" value="AND"/>	<input type="text"/>	In All Fields
<input type="text" value="AND"/>	<input type="text"/>	In All Fields
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>	

OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(register <paragraph> prefix) <and> ('least <near/1> significant) <or> (LSB)</pre>	
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

☐ Search latest content update (08 Aug 2005)

☐ From year to

» Display Format

☐ Citation ☐ Citation & Abstract

» Organize results

Maximum Display results per pageSort by In order[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>	

OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(register <and> prefix) <and> ((least <near/1> significant) <or> (LSB))</pre>	
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (08 Aug 2005)
- ☐ From year to

» Display Format

- ☐ Citation
- ☐ Citation & Abstract

» Organize results

Maximum
Display results per page
Sort by
In order



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Tue, 9 Aug 2005, 11:20:21 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

[Run Search](#) [Reset](#)

Recent Search Queries

Results:


#1	(((prefix) <near/4> register <near/4> ((least <near/1> signifi...	(
#2	(((prefix) <sentence> register <sentence> ((least <near/1> sig...	(
#3	(((prefix) <sentence> register <sentence> ((least <near/1> sig...	(
#4	(((prefix) <paragraph> register <paragraph> ((least <near/1> s...	(
#5	(((register <near/4> address) <paragraph> ((least <near/1> sig...	(
#6	(((register <sentence> address) <paragraph> ((least <near/1> s...	(
#7	(((register <paragraph> address) <paragraph> ((least <near/1> ...	(
#8	(((register <paragraph> address) <and> ((least <near/1> signif...	(
#9	(((register <paragraph> prefix) <and> ((least <near/1> signifi...	(
#10	(((register <and> prefix) <and> ((least <near/1> significant) ...	(

[Clear Session History](#)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

prefix + register + LSB

[Advanced Search](#)

[Preferences](#)

[Language Tools](#)


Google Search

I'm Feeling Lucky

[Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Make Google Your Homepage!](#)

©2005 Google - Searching 8,168,684,336 web pages



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

prefix + register + (least significant)

[Advanced Search](#)

[Preferences](#)

[Language Tools](#)


Google Search

I'm Feeling Lucky

[Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Make Google Your Homepage!](#)

©2005 Google - Searching 8,168,684,336 web pages



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

register + (least significant)

Google Search

I'm Feeling Lucky

[Advanced Search](#)


[Preferences](#)

[Language Tools](#)

[Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Make Google Your Homepage!](#)

©2005 Google - Searching 8,168,684,336 web pages



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

(register address) + (least significant)

[Advanced Search](#)

[Preferences](#)

[Language Tools](#)

Google Search

I'm Feeling Lucky

[Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Make Google Your Homepage!](#)

©2005 Google - Searching 8,168,684,336 web pages